

1 The Eastgate Office Centre Eastgate Road Bristol BS5 6XX

Switchboard 0272 515151 Tirect Line Fax

0272 5241 0272 524103

THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

Rev 1/93



1.

e.V

COMMUNICATION CONCERNING THE APPROVAL GRANTED OF A TYPE OF MECHANICAL COUPLING COMPONENT, PURSUANT TO REGULATION NO 55

Approval No: 00005

V. ORLANDI SPA

Via Quinzano n. 3 25020 Flero (Bs) - ITALY Tel. 030/3582722 Fax. 030/3582262 P. Iva e Cod. Fisc. 00273270173

Manufacturer's name and address: 2.

Trade name or mark: V Orlandi S.p.A

V Orlandi S.p.A. Viale Duca d'Aosta 28/30 I-25121 Brescia Italy

COPIA CONFORME ALL'ORIGINALE DICHIARIAMO DI GARANTIRE L'AUTENTICITA' E LA VERIDICITA' DI QUANTO RISULTA DAI OCUMENTI ALLEGATI, ASSUMENDO, AGLI EFFETTI DELLE VIGENTI DISPOSIZIONI, PIENA E DIRETTA

If applicable, name and address of manufacturer's representative: 3.

Eurohitch (UK) Limited Link 1 Industrial Park George Henry Road Great Bridge Tipton West Midlands DY4 7BZ United Kingdom

- Type of mechanical coupling component: towing ring, type 50W 4.
- Submitted for approval on: 28 February 1994 5.
- The component was subjected to dynamic tests 6
- 7. The component was approved:

at the value T: 45 (t)

at the value R: 34 (t)

- Frequency of application of forces during the test: 5 Hz 8.
- Technical service responsible for conducting approval tests: TÜV Bayern Sachsen 9.

Date of report issued by that service: 1 September 1994 10.

Number of report issued by that service: 360-088-94-FBK/V 11.

12. Approval GRANTED

13. Place: BRISTOL

14. Date: 22 SEPTEMBER 1994

15. Signature:

PP P NICHOLL

16. The attached drawing Nos: 013200.0, 013201.0, 013202.0, 001422.0 and 013203.0 show the characteristics and method of fitting to the vehicle, as well as the specified dimensions of the mechanical coupling component.

P94-95/1866

V. ORLANDI SPA Via Quinzano n. 3 25020 Fiero (Bs) - ITALY Tel. 030/3582722 Fax. 030/3582262 P. Iva e Cod. Fisc. 00273270173 COPIA CONFORME ALL'ORIGINALE
DICHIARIAMO DI GARANTIRE L'AUTENTICITA'
E LA VERIDICITA' DI QUANTO RISULTA DAI
JOCUMENTI ALLEGATI, ASSUMENDO, AGLI EFFETTI
DELLE VIGENTI DISPOSIZIONI, PIENA E DIRETTA
RESPONSABILITA'.

TECHINCAL DATA CONCERNING DRAWBAR EYE 50W

Description

The drawbar eye 50W is for 50 mm coupling accordin to ECE R55.

Loads

The drawbar eye is studied for steering axle trailer whit a max. wheight of 45 t. D value = 190 kN.

Specifications

Type 50W homologation n° ----- of --/-- D value = 190 kN. Max trailer weight = 45 t.

Materials

All components are manufactured by certified materials; the security component that is the drawbar is identified by the trade mark and a serial number identifing the production lot.

Operations against corrosion

Each elements are painted with 0.1 mm of paint in order to guarantee 250 hours against salty fog.

Installation

To allow the load declared the drawbar eye must be welded with 4 weldings with the following dimensions:

section: triangular 10x10 mm

lenght: 320 mm min.

THE INSTALLATION MUST BE PERFORMED BY SKILLED STAFF

3 1. AUG. 1994

V. ORLANDI SPA Via Quinzano n. 3 25020 Fiero (Bs) - ITALY Tel. 030/3582722 Fax. 030/3582262 P. Iva e Cod. Fisc. 00273270173 COPIA CONFORME ALL'ORIGINALE
DICHIARIAMO DI GARANTIRE L'AUTENTICITA'
E LA VERIDICITA' DI QUANTO RISULTA DAI
COCUMENTI ALLEGATI, ASSUMENDO, AGLI EFFETTI
DELLE VIGENTI DISPOSIZIONI, PIENA E DIRETTA
RESPONSABILITA'.



